


## GP VHM - UNI-Hochleistungsfräser Solid carbide universal high performance mill

1.743...




Werkzeugdaten / Tool data								Werkzeugempfehlung / Tool Recommendation				Einsatz / Capabilities			
TYP N	4	35°/88°	HA	HB	Norm	long	TIALN	HPC	Stahl steel	GG(G)	xy(z)				
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Artikel-Nr./ Article-No.	HA	HB	F16	Preis/Price HA - TIALN	F16	Preis/Price HB - TIALN	
3,00	6,00	8	57	2,80	18	0,13	4	1.743.030...	.00	.10		18,04		18,98	
4,00	6,00	11	57	3,60	21	0,13	4	1.743.040...	.00	.10		18,04		18,98	
5,00	6,00	13	57	4,60	21	0,20	4	1.743.050...	.00	.10		18,04		18,98	
6,00	6,00	13	57	5,50	21	0,20	4	1.743.060...	.00	.10		18,04		18,98	
8,00	8,00	19	63	7,50	27	0,20	4	1.743.080...	.00	.10		25,39		26,33	
10,00	10,00	22	72	9,50	32	0,20	4	1.743.100...	.00	.10		31,58		32,99	
12,00	12,00	26	83	11,50	38	0,30	4	1.743.120...	.00	.10		43,99		45,40	
14,00	14,00	26	83	13,00	42	0,30	4	1.743.140...	.00	.10		59,46		60,87	
16,00	16,00	32	92	15,50	44	0,30	4	1.743.160...	.00	.10		67,58		69,54	
18,00	18,00	32	92	17,00	50	0,40	4	1.743.180...	.00	.10		86,63		88,59	
20,00	20,00	38	104	19,50	54	0,40	4	1.743.200...	.00	.10		100,39		102,74	

## HP VHM - Schaftfräser Fightmax extra lang Solid carbide mill extra long

1<sup>st</sup> CHOICE

234...



Werkzeugdaten / Tool data								Werkzeugempfehlung / Tool Recommendation				Einsatz / Capabilities			
TYP N-H	4	35°/88°	HA	HB	Norm	extra long	VAROCON PLUS	HPC	Stahl steel	GG(G)	xy(z)	45°			
D1 h9	D2 h6	L2	L1	D3	L3	EF	Z	Artikel-Nr./ Article-No.	HA	HB	F35	Preis/Price HA - VAROCON+	F35	Preis/Price HB - VAROCON+	
6,00	6,00	22	80	5,50	42	0,13	4	234.060...	.00	.10		47,64		48,58	
8,00	8,00	28	100	7,50	62	0,15	4	234.080...	.00	.10		70,20		71,14	
10,00	10,00	33	100	9,50	58	0,20	4	234.100...	.00	.10		100,21		101,62	
12,00	12,00	42	120	11,50	73	0,25	4	234.120...	.00	.10		142,27		143,68	
16,00	16,00	53	150	15,50	100	0,35	4	234.160...	.00	.10		286,93		288,89	
20,00	20,00	68	150	19,50	98	0,40	4	234.200...	.00	.10		382,21		384,56	